

CENTRAL MEDICAL SERVICES SOCIETY

Ministry of Health & Family Welfare (Autonomous Body under MoHFW, Govt. of India) 2nd Floor, Vishwa Yuvak Kendra, Pandit Uma Shankar Dikshit Road, Chanakyapuri, New Delhi-110021 PHONE -:011-21410905/6, Fax -:011-21410849

Date: - 27/06/2024

Minutes of Pre-bid Meeting For Procurement of Bivalent- RDT (Malaria) for NCVBDC GeM Bid No.: GEM/2024/B/5015677 Dated 05/06/2024 Pre-bid Meeting held on 10/06/2024 at 11:00 AM

- 1. Following officials were present during the Pre-bid meeting: -
 - (i) Dr. Pranab Jyoti Bhuyan, Additional Director (NCVBDC) on Zoom
 - (ii) Dr. Rinku Sharma, Joint Director (NCVBDC) on Zoom
 - (iii) Mr. D Mohapatra, GM (Finance), CMSS
 - (iv) Ms. Pramod B Somnathe, GM (Procurement), CMSS
 - (v) Mr. Lava Mishra, AGM (Procurement), CMSS
 - (vi) Ms. Akanksha Jain, AGM (QA), CMSS
 - (vii) Ms. Neetu, Manager (Procurement), CMSS
- 2. Following representative from prospective bidder was present during the Pre-bid meeting: -

| Sr. No. | Name of Representative | Name of Bidder |
|---------|------------------------|---|
| 1. | Mr. Rohit | M/s Meril Diagnostics Pvt Ltd |
| 2. | Mr. Gaurav Aggarwal | M/s Meril Diagnostics Pvt Ltd |
| 3. | Aash Md. | M/s Q Line Biotech Pvt Ltd |
| 4. | M. Govind Khatri | M/s Q Line Biotech Pvt Ltd |
| 5. | Mr. Rajesh Verma | M/s Medsource Ozone Biomedicals Pvt Ltd |
| 6. | Mr. Shashi Bhushan | M/s Bio Lab Diagnostics Pvt Ltd |

3. Queries from following prospective bidders were received via email: -

| Sr. No. | Name of the bidders | | | | |
|---------|---|-------------------------------|--|--|--|
| 1 | M/s Lord's Mark Industries Ltd | M/s Arkray Healthcare Pvt Ltd | | | |
| 2 | M/s Q Line Biotech Pvt Ltd M/s Alpine Biomedicals Pvt Ltd | | | | |
| 3 | M/s Avantor Performance Materials India Pvt Ltd | | | | |

4. Points raised by representative of prospective bidder was discussed. After due consideration of the queries, the Response/Amendments are enclosed.

| <u>Annexure-A</u> |
|---|
| Pre-bid queries raised by the prospective bidder & Response/ Amendments by CMSS |

| Sr. | As per tender | Tender | Bidder's Representation | Response/ |
|-----|---|----------------------------------|---|--|
| No. | Description | Clause No. & Page No. | | Amendments |
| 1. | Tenderer must submit Market Standing Certificate issued by the Licensing Authority, as a Manufacturer of the item quoted, for at least last two financial years i.e. 2021-22 and 2022- 23 OR 2022-23 and 2023-24. However, this would not apply to products which have been licensed by licensing authority less than two years ago. | Section-IV (d) & Pg No. 53 | Lord's Mark Industries Limited is a 25 years old diversified manufacturer of Paper Products, LED, Solar Products. We are a recent indigenous manufacturer of diagnostics products aligned with Make In India vision of Government of India having State-of-the-art manufacturing facility based out of Mumbai catering to domestic as well as export markets. We embarked on our journey in the IVD sector during Covid-19 pandemic crisis, demonstrating our commitment to supporting this crucial industry during challenging times. We acknowledge the requirement of Market Standing Certificate for the last two years, we humbly request relaxation in this criteria for one year as a new Indian manufacturer based out of India to support local manufacturers. This being single largest tender of Govt. of India for rapid test kits it will act as a boon for local manufacturer like us. Manufacturing and Market Standing Certificate / Market Standing Certificate issued by the Licensing Authority as a manufacturer for each item quoted for the last 2 years instead of three years. | Clarified as: Kindly follow the tender terms & conditions. |
| 2. | TenderermustsubmitNon-ConvictionCertificateissuedby the LicensingAuthoritycertifying that thetendererhas notbeen convicted forthelasttwofinancial years i.e.2021-22 and 2022-23 OR 2022-23 and2023-24. | Section-IV (e) & Pg No. 53 | We would request you to accept non-conviction certificate issued in last one year i.e. 2023-24. Non-Conviction Certificate issued by the Licensing Authority certifying that the firm/company has not been convicted and the products quoted have not been cancelled during last two years instead of three years. | Clarified as: Kindly follow the tender terms & conditions. |
| 3. | The tenderer must | | The tenderer must have <u>manufacture</u> <u>or</u> supplied at least 20% of quoted quantity of | Clarified as: |

| least 4 | 0% of | Section-IV | financial years. In support of above, the | terms & conditions. |
|------------|------------|------------|--|----------------------|
| quoted | | (f) & Pg | tenderer shall submit details of past purchase | terms & contantions. |
| of the | | No. 54 | orders executed by them along with the copy | |
| | | | of GST invoice and E-way bill against the | |
| similar | item | | proof of execution of order for every | |
| 0 | the last | | submitted Purchase Order. If GST invoice is | |
| | financial | | not applicable for any Purchase Order, the | |
| years. In | | | affidavit to that effect on stamp paper of Rs. | |
| of abov | ve, the | | 100/- should be submitted. For the supply of | |
| tenderer | shall | | export, bidder should submit the copy of | |
| submit d | letails of | | invoice, bill of lading/airway bill/any other document issued by custom authority | |
| past | purchase | | against the proof of execution of order for | |
| orders | executed | | every submitted Purchase Order. The details | |
| by then | n along | | shall be duly certified by the practicing | |
| - | copy of | | Chartered Accountant in the form 4.1. The | |
| GST inv | | | certifying Chartered Accountant must | |
| | ll against | | indicate the details along with its UDIN. | |
| | oof of | | Note: Similar item means and time of Dentil | |
| - | of order | | Note: Similar item means any type of Rapid Test Kits, i.e. HIV, HBsAg, HCV, Syphilis, | |
| | | | Dengue, Malaria etc. | |
| for | every | | <u>_</u> | |
| submittee | | | <u>Justification:</u> | |
| Purchase | | | | |
| | ice is not | | The existing criteria of bidder's experience shall | |
| applicable | | | limit the participation, as over the last two to three years many new manufacturers are | |
| Purchase | , | | introduced in the market who are providing | |
| | davit to | | good quality IVD diagnostics kits including | |
| that eff | fect on | | Rapid and Elisa kits. | |
| stamp pa | - | | • | |
| 100/- sh | nould be | | For such manufactures, it would be challenging | |
| submittee | d. For the | | to prove supply of 40% of the quoted quantity | |
| supply o | of export, | | (minimum 50%) of same or similar diagnostic | |
| bidder | should | | tests for any kit of NCVBDC, therefore to ensure good competition and wider | |
| submit th | e copy of | | ensure good competition and wider participation, the existing clause should be | |
| | bill of | | amended as requested. | |
| lading/ai | | | We hereby request you to please consider | |
| bill/any | other | | Similar item means quoted product/ any kit of | |
| | t issued | | NCVBDC/ Any Rapid kit like HIV, HBV, HCV | |
| by | custom | | Rapid Test Kit. | |
| - | against | | | |
| 5 | oof of | | Justification: | |
| - | of order | | Any rapid kit will help to allow wider | |
| | | - F | participation. | |
| for | every | | We would like to submit that test like Covid-19 | |
| submittee | | | Antigen Test, Dengue, HIV, HBV, HCV Rapid | |
| Purchase | | | Test Kit and Syphilis/TP Rapid test also developed on the same principal and come | |
| | ails shall | | under Class C and D like Bivalent test as per | |
| - | certified | | MDR (critical products). Hence, we request | |
| | oracticing | | you to kindly consider Covid-19 Antigen Test, | |
| Chartered | | | Dengue, HIV, HBV, HCV Rapid Test Kit and | |
| Accounta | int in the | | | |

| | | I | |] |
|----|--------------------------------------|------------|---|-------------------------------------|
| | form 4.1. The | | Syphilis/TP in the category of similar products | |
| | certifying | | and amend the specifications with " | |
| | Chartered | | Cimilar Itomo hore relate to the C-llowing | |
| | Accountant must | | Similar Items here relate to the following: - | |
| | indicate the details | | Similar item means quoted / Any Bivalent, | |
| | along with its | | Dengue, HIV, HBV, HCV, Covid-19 and Symbilis/TP Ramid Test Kit (Based on same | |
| | UDIN. | | Syphilis/TP Rapid Test Kit (Based on same | |
| | | | principle). | |
| | Note: Similar | | Or Request you to give relaxation for | |
| | item means | | experience of 25% instead of 40% to MSE | |
| | quoted product/ | | companies. So that new companies like us can | |
| | any kit of | | participate and supply product to your | |
| | NCVBDC | | esteemed organization. | |
| 4. | Reports of proven | Section VI | Reports of proven performance of the offered | Clarified as: |
| | performance of the | -Point G | product in conditions similar to Indian field | |
| | offered product in | | conditions (room temperature up to 45°C) with | Kindly follow the tender |
| | conditions similar | No. 60 | certification of no adverse report for the offered | terms & conditions. |
| | to Indian field | | product from the end users during three years | |
| | conditions (room | | out of last five years must be submitted with | |
| | temperature up to | | the bid. | |
| | 45°C) with | | | |
| | certification of no | | Justification: | |
| | adverse report for | | As discussed above, this clause shall be | |
| | the offered | | challenging for most of the new manufacturers | |
| | product from the end users during | | who have launched their product in last two to three years, They will not be able to provide | |
| | the last five years | | performance reports. | |
| | must be submitted | | Personance reports. | |
| | with the bid. | | Therefore, to allow good participation by the | |
| | | | quality manufacturer who are providing | |
| | | | similar diagnostic tests kits for various | |
| | | | complicated diseases and thus it would bring | |
| | | | competitive prices in the tender. | |
| 5. | The bidder must | | 5 1 | Clarified as: |
| | submit scientific | -Point G | 1 0 0 | A |
| | study report of | (ii) & Pg | laboratory in support of their claim of | As per the current |
| | product testing at | No. 60 | performance of the offered product, | evaluation process, ICMR-NIMR is |
| | designated ICMR laboratory in | | mentioning the panel detection score, false positivity rate, invalid rate, ease of use. | providing the report |
| | support of their | | | based on sensitivity and |
| | claim of | | Justification: | specificity. |
| | performance of | | We would like to request for acceptance of our | 17. |
| | the offered | | existing evaluation reports from NIMR (a body | However as mentioned |
| | product, | | of ICMR) which states about the performance of | by the bidder the in- |
| | mentioning the | | our product. However, thermal stability data | house report of thermos |
| | panel detection | | etc is not usually done as per Indian guidelines. | stability may be |
| | score, false | | | considered. |
| | positivity rate, | | For thermal stability data, Inhouse accelerated | |
| | invalid rate, ease | | Stability report should be considered. | |
| | of use, thermal | | | |
| | stability data etc. | | So, request you to consider Existing ICMR | |
| | | | (NIMR) evaluation Report along with Inhouse accelerated Stability report as quality criteria. | |
| 1 | | | | |

| 6. | Each kit should be | Section VI | Each kit should be hermetically sealed in non- | Clarified as: |
|----|-----------------------|------------|--|--|
| 0. | | | | Clarified as: |
| | hermetically | -Point B & | permeable pouch and should have moisture | Vindly follow the ter 1. |
| | sealed in non- | Pg No. 59 | absorbent material. <u>25/50</u> such test cards | Kindly follow the tender |
| | permeable pouch | | (cassette), or lesser quantity as required by | terms & conditions. |
| | and should have | | the Programme should be packed in a box | |
| | moisture | | containing the reagents and the test plates. | |
| | absorbent | | Adequate literature detailing the test kit | |
| | material. 10 such | | components, principle, methodologies and | |
| | test cards | | validity criteria as specified under 'RDT | |
| | (cassette), or lesser | | performance criteria' should be provided in | |
| | quantity as | | the kit inserts with the test kits. | |
| | required by the | | | |
| | Programme | | Storage conditions, expiry dates and | |
| | should be packed | | limitations of test should be provided. The | |
| | in a box | | small box should be packed in bigger | |
| | | | | |
| | containing the | | cardboard carton containing 10 such small | |
| | reagents and the | | boxes. The carton should be sealed with a | |
| | test plates. | | sealing tape. | |
| | Adequate | | | |
| | literature detailing | | The large carton (containing 10 small boxes) | |
| | the test kit | | and small box (containing 25/50 tests). | |
| | components, | | | |
| | principle, | | Justification: | |
| | methodologies | | | |
| | and validity | | The most commonly available standard pack | |
| | criteria as | | sizes of rapid tests as per current market | |
| | specified under | | scenario is either 25 tests or 50 tests. Most of the | |
| | 'RDT performance | | popular reputed manufacturers launch their | |
| | criteria' should be | | product in standard Pack Size. | |
| | provided in the kit | | r | |
| | inserts with the | | Hence it should be amended as suggested. | |
| | test kits. | | Tience it biloura be ameriaea as baggestea. | |
| | test kits. | | | |
| | Charrage | | | |
| | Storage | | | |
| | conditions, expiry | | | |
| | dates and | | | |
| | limitations of test | | | |
| | should be | | | |
| | provided. The | | | |
| | small box should | | | |
| | be packed in | | | |
| | bigger cardboard | | | |
| | carton containing | | | |
| | 10 such small | | | |
| | boxes. The carton | | | |
| | should be sealed | | | |
| | with a sealing | | | |
| | tape. | | | |
| 7. | Each lot of RDT | Section VI | Each lot of RDT should be tested by In House | Clarified as: |
| | should be tested at | -Point A | Testing Laboratory at the time of delivery. | |
| | a designated | & Pg No. | Only those lots with <u>COA</u> report will be | Kindly follow the tender |
| | ICMR laboratory | 58 | accepted for delivery. | terms & conditions. |
| | at the time of | | accepted for delivery. | contraction of the contraction o |
| | delivery. Only | | Instification | |
| | those lots with | | Justification: | |
| | | | | |
| 1 | PASS report will | | | |

| | be accepted for delivery. | | Testing of each lot of kits at a designated ICMR laboratory at the time of delivery is practically not feasible, since it is a very costly approach and requires minimum 90 days of time period to for getting the tests result from ICMR laboratory and also such testing is not feasibly available in every ICMR laboratories. Hence to maintain the feasibility of the supply (as required in the bid) we request you to kindly dilute the clause or as an alternative, the authority can evaluate 1-2 kits of our supplied kits at their designated centres. | |
|----|--|--|---|---|
| 8. | Market Standing Certificate for last 02 years | Section-II (d) & Pg No. 27 | Please clarify whether Market Standing Certificate for last 02 years for quoted product required or "Similar Product" is also valid. | Clarified as: The bidder has to submit Market Standing Certificate of the quoted item. |
| 9. | Each test kit should contain all the materials required for performing the test including individually packed sterile lancets for pricking, heparinised capillary tubes (diameter- 1mm) with relevant markings and reaction tubes with stand/wells as required. | Section VI -Point A & Pg No. 58 | Please note that we are providing sterile lancet as per our kit pack size in a single pack rather than individually packed. Kindly clarify whether it is acceptable. We are providing an inverted cup as a sample transfer device. Please note the capillary tube is banned by WHO, because of the risk of damaging the patient finger. Kindly clarify whether it is acceptable. | Clarified as: Kindly follow the tender terms & conditions. |

Note: - Above changes will be part of the tender document.

Sd/-GM (Procurement)



CENTRAL MEDICAL SERVICES SOCIETY

Ministry of Health & Family Welfare (Autonomous Body under MoHFW, Govt. of India) 2nd Floor, Vishwa Yuvak Kendra, Pandit Uma Shankar Dikshit Road, Chanakyapuri, New Delhi-110021 PHONE -:011-21410905/6, Fax -:011-21410849

Date: - 27/06/2024

AMENDMENT No. 1

| Tender No. | : CMSS/PROC/2024-25/NCVBDC/009 |
|--------------|---|
| Tender Title | : For Procurement of Bivalent- RDT (Malaria) For NCVBDC |
| GeM Bid No | : GEM/2024/B/5015677 Dated 05/06/2024 |

1. The Tender timelines for the above referred tender have been extended/ amended as follows:

| Description | Existing | Amended as |
|-----------------------------------|------------------------|------------------------|
| Last date and time for bid | 27/06/2024 at 03:00 PM | 05/07/2024 at 03:00 PM |
| submission | | |
| Last date and time for submission | 27/06/2024 at 03:00 PM | 05/07/2024 at 03:00 PM |
| of original documents | | |
| Date and time for tender opening | 27/06/2024 at 03:30 PM | 05/07/2024 at 03:30 PM |
| (technical bid) | | |

2. Following amendments in the published tender documents are hereby authorized:

| Sr. | Tender | As per tender | After Amendment |
|-----|-----------------|----------------------------|------------------------------------|
| No. | Clause No. | | |
| | & Pg No. | | |
| 1. | Section II, 9.4 | 3. For EMD fund transfer, | For EMD fund transfer, purchaser's |
| | (3) & Pg No. | purchaser's bank account | bank account details are as under: |
| | 30 | details are as under: | |
| | | | Beneficiary Name: Central Medical |
| | | Beneficiary Name: Central | Services Society |
| | | Medical Services Society | A/C No. : 50100729160644 |
| | | A/C No. : 32719062216 | Bank Name: HDFC Bank |
| | | Bank Name: SBI Bank | Branch: Safdarjung Enclave-Deer |
| | | Branch: Nirman Bhawan, | Park, New Delhi |
| | | Maulana Azad Road, New | IFSC Code: HDFC0000503 |
| | | Delhi | |
| | | IFSC Code: SBIN0000583 | |
| 2. | Form 7A & | Existing Form 7A: Bank | Existing Form 7A: Bank Guarantee |
| | Pg No. 149 | Guarantee for EMD (Format) | for EMD (Format) has been revised |
| | | | and attached with Annexure-1. |

| 3. | Format 1.1 & | Existing Format 1.1: | Bank | Existing Format 1.1: Bank Guarantee |
|----|--------------|----------------------|------|---|
| | Pg No. 157 | Guarantee Format | for | Format for Performance Security has |
| | _ | Performance Security | | been revised and attached with |
| | | | | Annexure-2. |
| 4. | Section IV, | | | Copies of the audited Annual reports |
| | (m) & Pg No. | | | including the Balance Sheet and Profit |
| | 55 | | | and Loss Account for the last three years |
| | | | | i.e. 2020-21, 2021-22 and 2022-23 OR |
| | | | | 2021-22, 2022-23 and 2023-24 duly |
| | | | | certified by a practicing Chartered |
| | | | | Accountant, where ever applicable. |

3. Apart from above, all other terms & conditions of tender document will remain unchanged.

Sd/-GM (Procurement)

ANNEXURE-1

REVISED Form 7A: Bank Guarantee for EMD (Format)

Instruction to BG Issuing Bank – The Bank Guarantee should be through SFMS (Structured Financial Messaging System) & the Field No. 7037 is filled with the bank details i.e. HDFC Bank Ltd, IFSC Code - HDFC0000003& Beneficiary Customer ID – CENTRALYCX - M/s CENTRAL MEDICAL SERVICES SOCIETY. This is captured in both IFN760 COV (BG Issuance) / IFN767 COV (BG Amendment, if any)

[The Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.]

[insert Bank's Name, and Address of Issuing Branch or Office]

Beneficiary: [insert Name and Address of Purchaser]

Date: _____

BID GUARANTEE No.:

We have been informed that [*insert name of the Tenderer*] (hereinafter called "the Tenderer") has submitted to you its bid dated (hereinafter called "the Bid")for the execution of [*insert name of contract*] under Tender No.....

Furthermore, we understand that, according to your conditions, bids must be supported by a EMD.

At the request of the Tenderer, we *[insert name of Bank]* hereby irrevocably under take to pay you any sum or sums not exceeding in total an amount of *[insert amount in figures]* (*[insert amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Tenderer is in breach of its obligation(s) under the bid conditions, because the Tenderer:

- a) has withdrawn its Bid during the period of bid validity specified by the Tenderer in the Form of Bid; or
- b) having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity, (i) fails or refuses to execute the Contract Form, if required, or(ii)fails or refuses to furnish the security deposit, in accordance with the Instructions to Tenderer s.
- c) does not accept the correction of the Bid Price
- d) This guarantee will expire: (a) if the Tenderer is the successful tenderer ,upon our receipt to copies of the contract signed by the Tenderer and the performance security issued to you upon the instruction of the Tenderer ; or(b) if the Tenderer is not the successful tenderer ,upon the earlier of (i) our receipt of a copy of your notification to the Tenderer of the name of the successful tenderer ;or (ii) Twenty Eight days after the expiration of the Tenderer 's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 758.

BG should be effective once it will be transmitted through SFMS on HDFC Bank Ltd IFSC Code – HDFC0000003.

[signature(s)]

ANNEXURE-2

REVISED Format 1.1: Bank Guarantee Format for Performance Security

Instruction to BG Issuing Bank – The Bank Guarantee should be through SFMS (Structured Financial Messaging System) & the Field No. 7037 is filled with the bank details i.e. HDFC Bank Ltd, IFSC Code - HDFC0000003& Beneficiary Customer ID – CENTRALYCX - M/s CENTRAL MEDICAL SERVICES SOCIETY. This is captured in both IFN760 COV (BG Issuance) / IFN767 COV (BG Amendment, if any).

(Ref Clause 9.4 of ITB and clause 5.8 of GCC)

То

DG & CEO, Central Medical Services Society, Ministry of Health and Family welfare, Government of India, New Delhi

Address: 2nd floor, Vishwa Yuvak Kendra, Pt. Uma Shankar Dikshit Marg, Teen Murti Road, Opposite Police Station Chanakaya Puri,

New Delhi-110021

Telephones: 011-21410905, 21410906

Ref: Your Tender Document No. Tender No./ xxxx; Tender Title: GOODS

And Whereas you have stipulated it in the said contract that the contractor shall furnish you with a bank guarantee by a Commercial bank for the sum specified therein as security for compliance with its obligations as per the contract;

And Whereas we have agreed to give the contractor such a bank guarantee.

Now Therefore we hereby affirm that we are guarantors and responsible to you, on behalf of the contractor, up to a total of(amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the contractor to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the sail debt from the contractor before presenting us with demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made

between you and the contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall be valid until theday of20.....

Our.....*(Name & Address of the*(Name & Address of the*(branch) is liable to pay the guaranteed amount depending on the filing of a claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our* branch a written claim or demand and received by us at our* branch on or before Dt...... otherwise, the bank shall be discharged of all liabilities under this guarantee after that.

BG should be effective once it will be transmitted through SFMS on HDFC Bank Ltd IFSC Code – HDFC0000003.

(Signature of the authorized officer of the Bank)

Seal, name & address of the Bank and address of Branch

*Preferably at the headquarters of the authority competent to sanction the expenditure for the procurement of goods or at the concerned district headquarters or the state headquarters.